

# PRIVATE WATER TESTING

Data collected for the members of the Cramahe Residential Advocate Association

---

There are 49 provincially accredited water testing laboratories in Ontario. The three laboratories located closest to the Crandall Road, Telephone Road, Lake Road area of Cramahe Township were contacted.

Below is the contact information for each lab and the cost of suggested set of parameters.

## **SGS Canada Inc.**

185 Concession Street, P.O. Box 4300

Lakefield Ontario, Canada K0L 2H0

Phone: +01 705-652-2114

Fax: +01 705-652-6365

### **Petroleum Hydrocarbons**

Includes : F1-F4 and BTEX (Benzene, Toluene, Ethylbenzene, Xylenes)

\$277.50

Please note that we do have a minimum billing charge of \$150.00 plus HST and that payment can be made via cheque or credit card and is due upon receipt of the sample.

Once you have decided on a package / parameter(s) I can arrange to have the proper bottles put together for delivery via Purolator or pick up here at our Lakefield location. Note that the various tests require different bottles so a bottle order must be placed first and may take several days.

Please ship or deliver your sample back to us the same day the sample is collected so that it arrives within 48 hour holding times (not on a Friday or day before statutory holiday if shipping)

## **The Regional Municipality of Durham**

York-Durham Regional Environmental Laboratory, Works

905-686-0041 extension 4300 | [durham.ca](http://durham.ca)

901 McKay Road, Pickering, ON L1W 3A3

BTEXPT BTEX by Purge & Trap GC/MS

benzene ethylbenzene m, p-xylene o-xylene toluene xylene (Total)

\$86.00

VOC Volatile Organic Compounds

benzene cis-1,2-dichloroethylene bromodichloromethane trans-1,2-dichloroethylene bromoform dichloromethane bromomethane 1,1,1,2 tetrachloroethane methyl tert-butyl ether (MTBE) 1,2-dichloropropane carbon tetrachloride cis-1,3-dichloropropylene chlorobenzene trans-1,3-dichloropropylene chlorodibromomethane ethylbenzene chloroethane styrene chloroform 1,1,2,2-tetrachloroethane chloromethane toluene tetrachloroethylene (perchloroethylene) 1,1,1-trichloroethane 1,2-dibromoethane (ethylene dibromide) 1,1,2-trichloroethane 1,2-dichlorobenzene trichloroethylene 1,3-dichlorobenzene trichlorofluoromethane 1,4-dichlorobenzene acetone 1,2,4-trichlorobenzene vinyl chloride 1,1-dichloroethane o-xylene 1,2-dichloroethane m, p-xylene 1,1-

dichloroethylene THM (Total) methyl ethyl ketone (MEK) xylenes (Total) methyl isobutyl ketone (MIBK)  
methyl butyl ketone (MBK)

\$136.00

Sample bottles can be shipped for a courier fee of \$26.00 or they can be picked up in person at the lab. Once you complete your sampling, you can bring your sample(s) back to the lab where we can then address payment. Results are usually within 10 business days, but RUSH requests vary depending on the days and/or price.

HST is not included in any prices listed above for this location.

**City of Peterborough Environmental Protection Laboratory**

425 Kennedy Road, Peterborough, ON K9J 1B6

(705) 742-7777 dial 2,2,1

No response received back from email inquiry.

Guides on sampling, preservation of samples and shipping of samples, can all be supplied by the laboratories once arrangements are made.

Other analysis can be preformed also by the laboratories if you feel you would like more information about your groundwater. I have the full price list for all analyses if interested.

**Please note:**

1. In order to get a true groundwater sample for analysis. The water source must be collected from an untreated system. This means the water must not have passed through any water treatment devices within the home (ie: water treatment devices, filters, RO cartridges, water softeners, etc.)
2. Read the sample collection guide, as certain sample bottles have defined fill limits and some bottles must not contain air within the bottle after collection.
3. SGS Canada Inc.'s F1 - F4 are the same parameters as listed in the VOC list at the Regional Municipality of Durham's facility.

I am available if you have any further questions.

Jim Cunningham